



BRIDGING
BRIDGING
RADIATION
RADIATION
POLICY AND
POLICY AND
SCIENCE
SCIENCE

An International Conference

Airlie House Conference Center
Warrenton, Virginia

1-5 December 1999

FINAL REPORT



BRIDGING BRIDGING RADIATION RADIATION POLICY AND POLICY AND SCIENCE SCIENCE

Prepared By

Kenneth L. Mossman, E. Gail de Planque, Marvin Goldman, Kenneth R. Kase, Sigurdur M. Magnusson, L. Manning Muntzing, and Genevieve S. Roessler

The authors are solely responsible for the contents of this report except for the Conclusions and Recommendations that are a verbatim transcript of what was agreed to by attendees on the last day of the conference.

31 January 2000

An International Conference

Airlie House Conference Center
Warrenton, Virginia

1-5 December 1999

FINAL REPORT

Published by:
Bridging Radiation Policy and Science Conference
1313 Dolley Madison Blvd. Suite 402
McLean, VA 22101

Table of Contents

EXECUTIVE SUMMARY

Page 1

PREFACE

Page 3

INTRODUCTION

Page 5

PLENARY SESSION SUMMARIES

Page 7

CONFERENCE CONCLUSIONS AND RECOMMENDATIONS

Page 15

APPENDIX A: LIST OF PARTICIPANTS

Page 17

APPENDIX B: TECHNICAL PROGRAM

Page 23



Bridging Radiation Policy and Science Conference Participants Airlie House, Warrenton, Virginia 1-5 December 1999

Bridging Radiation Policy and Science

Airlie House Conference Center
Warrenton, Virginia
1-5 December 1999

Scientists, engineers, lawyers, social scientists, regulators, and policymakers from five continents and 20 countries reached consensus on a number of conclusions and recommendations regarding low-level ionizing radiation exposures at an international conference, “Bridging Radiation Policy and Science,” at the Airlie Center in Warrenton, Virginia, 1 – 5 December 1999. The goal of the conference was to develop strategies for formulating national and international policy based on current scientific information in the context of economic, political, and social concerns. Specifically, attendees explored how to establish public policies with respect to radiation protection in view of the scientific uncertainties of the effects of low-level radiation [<100 millisievert (mSv)]. Conference participants agreed that science will not likely answer in the near future fundamental questions about the shape of the dose-response curve and mechanisms of effects of radiation at low doses. The conference endorsed the quest for a prudent and coherent radiation policy based on the International Atomic Energy Agency’s (IAEA) “evolving global framework.”

Conference Conclusions

- Ionizing radiation is a well-known human carcinogen. During the past 50 years numerous epidemiological studies of adult human populations exposed to radiation from medical, occupational, or military purposes have been conducted. The lowest dose at which a statistically significant radiation risk has been shown is ~ 100 mSv. This does not imply the existence of a threshold.
- The effects of low-level radiation below 1 mSv per year above background radiation cannot currently be distinguished from those of everyday natural health hazards.
- The concept of collective dose is often misapplied, e.g., to estimate health impacts of very low average radiation doses in large populations and/or doses delivered over long time periods. Collective dose can be a useful comparative tool, for instance, in the evaluation of protection options.

- It is essential to continue to foster international cooperation in radiation safety. In particular, international harmonization of radiation safety policies for radiation sources delivering low radiation doses should be developed.
- Consistent and coherent radiation policy on a national level is necessary for the effective implementation of radiation safety.
- Economic, environmental, ethical, psychological, and scientific factors are all essential in the policy and regulatory decision-making process to assure public health and well-being. The way in which these factors are incorporated in nation-specific decision-making processes may vary.
- Concern over low doses should not deter the public from obtaining benefits of medical procedures.

Conference Recommendations

- Policy discussions on the regulation of radiation sources delivering low-level radiation should include references to natural background radiation.
- The conference supports the evolving global framework of the International Atomic Energy Agency (IAEA) for the safe use of radiation.
- The conference supports further development and evaluation of the ideas associated with the proposal on controllable dose.
- No radiation dose is below regulatory concern but certain levels should be below regulatory action, and appropriate dose levels should be established.
- Fundamental questions about the shape of the dose-response curve and mechanisms of effects of radiation at low doses are unlikely to be answered in the near future. Scientific research, including molecular and cellular radiobiology studies, are critical in order to better understand mechanisms of radiogenic effects and provide important information about the likely shape of the dose-response curve at low doses of radiation, and should be coordinated and continued.



Attendees in plenary session. Left to right front row: Genevieve Roessler and Annie Sugier. Left to right back row: Hans Blix, Manning Muntzing and Gail de Planque



Coffee break. Left to right: Ralph Andersen, William Mills, and Richard Setlow

- The conference strongly encourages multinational support and analysis of human data derived from studies such as the Radiation Effects Research Foundation (RERF) Life Span Study, the Russian Mayak and Techa River studies, nuclear workers studies, and studies of populations living in high natural background areas in order to assist in reducing scientific uncertainties in risk and in elucidating mechanisms of radiation health effects. These data offer a unique opportunity to further quantify effects at low doses in human populations.
- Groups involved in the development of policy and regulations, or making recommendations for such policies and regulations, should operate in an open and transparent manner, and engage in dialogue with stakeholders.
- There is a pressing need for more effective communication by scientists with the public, politicians, policymakers, regulators, and other interested persons. The science should be clearly articulated, emphasizing what we do and do not know, explaining the limitations in the information and what we are doing about it.

The conference was sponsored by the International Nuclear Energy Academy, the International Nuclear Law Association, the International Nuclear Societies Council, the International Radiation Protection Association, and the World Federation of Nuclear Medicine and Biology. Hans Blix, former Director General of the International Atomic Energy Agency, chaired the Sponsors Committee composed of a representative from each of these organizations.

The conference was organized by E. Gail de Planque, International Nuclear Societies Council; Marvin Goldman, University of California-Davis; Kenneth R. Kase, Stanford Linear Accelerator Center; Kenneth L. Mossman, Arizona State University; L. Manning Muntzing, International Nuclear Law Association; and Genevieve S. Roessler, University of Florida. The program committee was chaired by Sigurdur M. Magnusson, Icelandic Radiation Protection Institute.

The conference was financially supported by the following organizations: American Academy of Health Physics, American Nuclear Society, Atomic Energy of Canada Ltd., British Nuclear Fuels Ltd., Canadian Nuclear Society, Cogema, Inc., Electric Power Research Institute, Health Physics Society, Japan Health Research Foundation, Korea Institute of Nuclear Safety, Nuclear Energy Institute, Pacific Northwest National Laboratory, U.S. Department of Energy, U.S. Environmental Protection Agency, and U.S. Nuclear Regulatory Commission.

PREFACE

Background

In 1997, a conference titled “Creating a Strategy for Science-Based National Policy: Addressing Conflicting Views on the Health Risks of Low Level Ionizing Radiation” was held at the Wingspread Conference Center near Racine, Wisconsin (31 July-3 August 1997). Fifty policymakers, regulators and scientists convened to discuss science and policy issues regarding low-level radiation health effects of national (U.S.) interest. A report of the Wingspread Conference was published by the Council of Scientific Society Presidents.* The emphasis of the conference was on science issues and scientific uncertainties in policy and regulatory decision-making.

The Airlie Center Conference “Bridging Radiation Policy and Science” expanded the goals of the successful Wingspread Conference in several ways: First, the emphasis of the conference shifted to analysis of problems and their solutions in policymaking and regulatory decision-making. Second, economic, ethical, psychological, risk, and social factors, in addition to scientific uncertainties, were discussed as equal components in policymaking and regulatory decision-making. Third, conference discussions on radiation policy and regulations were expanded to include international perspectives and concerns.

Financial Support

Financial support for the Airlie Center Conference was received from the following organizations. The conference organizers are grateful for their generous support.

American Academy of Health Physics
American Nuclear Society
Atomic Energy of Canada Limited
British Nuclear Fuels Ltd.
Canadian Nuclear Society
Cogema, Incorporated
Electric Power Research Institute
Health Physics Society
Japan Health Research Foundation
Korea Institute of Nuclear Safety
Nuclear Energy Institute
Pacific Northwest National Laboratory
U.S. Department of Energy
U.S. Environmental Protection Agency
U.S. Nuclear Regulatory Commission

Sponsors

The conference was sponsored by the International Nuclear Energy Academy, the International Nuclear Law Association, the International Nuclear Societies Council, the International Radiation Protection Association, and the World Federation of Nuclear Medicine and Biology. Hans Blix, former Director General of the International Atomic Energy Agency, chaired the Sponsors Committee composed of a representative from each of these organizations.

Conference Organizers

Conference planning and overall direction were provided by the Conference Organizers: E. Gail de Planque, International Nuclear Societies Council; Marvin Goldman, University of California-Davis; Kenneth R. Kase, Stanford Linear Accelerator Center; Kenneth L. Mossman, Arizona State University; L. Manning Muntzing, International Nuclear Law Association; and Genevieve S. Roessler, University of Florida. The organizers worked closely with the Program Committee chair in developing the technical program.



Attendees in breakout group discussion. Left to right: Geoffrey Webb, Rick Jones, Ronald Kathren, and Kenneth Mossman

* *Creating a Strategy for Science-Based National Policy: Addressing Conflicting Views on the Health Risks of Low-Level Ionizing Radiation*, Wingspread Conference, Washington, D.C.: Council of Scientific Society Presidents; March 3, 1999.



Coffee break. Left to right: Andre Maisseu, Maurice Tubiana, and Klaus Trott

Advisory Committee

Simon Carroll, Greenpeace International (The Netherlands); Roger Clarke, International Commission on Radiological Protection (U.K.); Abel Gonzalez, International Atomic Energy Agency (Austria); Ronald Kathren, American Academy of Health Physics (U.S.); William Mills, Health Physics Society (U.S.); Jerry Puskin, Environmental Protection Agency (U.S.); and Sam Thompson, OECD Nuclear Energy Agency (France) served on a committee to advise the conference organizers and the Program Committee.

Program Committee

Sigurdur M. Magnusson, Icelandic Radiation Protection Institute (Iceland) served as chair of the Program Committee. Other members of the committee were: Helen Garnett, Australian Nuclear Science and Technology Organisation (Australia); George Gray, Harvard University (U.S.); Stanley Hatcher, Stan Hatcher & Associates (Canada); Jai Ki Lee, Hanyang University (Korea); Carmel Mothersill, Dublin Institute of Technology (Ireland); Shigenobu Nagataki, Radiation Effects Research Foundation (Japan); Tara O'Toole, Johns Hopkins University (U.S.); Maurice Tubiana, University of Paris (France); and Jack Valentin, International Commission on Radiological Protection (Sweden).

Conference Coordinators

Administrative services for the conference were provided by Burk & Associates, Incorporated, 1313 Dolley Madison Blvd., Suite 402, McLean, VA 22101. Voice: 703.790.1745, fax: 703.790.2672, e-mail: Society@BurkInc.com.

INTRODUCTION

Overview

Natural and man-made sources of ionizing radiation¹ have made and continue to make invaluable contributions to society and to individuals. Radiation is part of nature. Natural sources of radiation including radon gas from the earth's crust and cosmic radiation from outer space account for 80-90 percent of the radiation to which the public is exposed every year. Man-made sources provide hundreds of beneficial uses including medical and dental x rays, nuclear medicine pharmaceuticals, and nuclear power plants. Man-made radiation, used primarily in medical diagnosis and therapy, accounts for 10-20 percent of the public's exposure every year.

Individual and population exposures to man-made radiation sources are controlled so as to minimize potential detrimental health effects (primarily cancer) without compromising the beneficial uses of radiation. The selection of appropriate levels of control of radiation exposures is a complex matter. The issue is especially problematic because cancer occurs at high rates in the general population and it is almost impossible to detect small excess cancer risks attributable to low levels of radiation exposure. Public exposure limits have been set at levels orders of magnitude below exposure levels known to cause cancer. Regulations to limit environmental and occupational exposures to radiation are based on the assumption that any dose of radiation, no matter how small, may cause cancer. While regulatory decision-making was designed to protect the public health, in some ways it has become punitive and burdensome. The idea that any exposure to radiation may be harmful has led to public anxiety and to enormous economic expenditures that are disproportionate to the actual radiation risks involved. In the United States and some other countries, regulatory compliance costs are steadily growing, while desired public health benefits from added regulation are increasingly difficult to measure.

Conference Goals

"Bridging Radiation Policy and Science" was an international conference held at the Airlie Center, Warrenton, Va., 1-5 December 1999. The conference brought together by invitation 78 engineers, lawyers, policymakers, regulators, scientists, and psychologists and other social scientists from around the world in an attempt to reach a consensus among people who have taken different technical, policy and regulatory posi-

tions on the important societal issue of low-level ionizing radiation exposures. A list of participants is provided in Appendix A.

The conference provided a forum for international participants to share personal and national views on a wide variety of policy, regulatory, scientific, ethical, economic, psychological, science, and policy questions pertaining to low-level radiation health effects. The conference facilitated a rich international dialogue that promises to be of great value to policymakers, regulators, and scientists interested in developing appropriate public policy with respect to exposure to low-level radiation.

The goal of the conference was to develop strategies for formulating national and international policy based on current scientific information in the context of economic, political, and social concerns. Specifically, the conference attendees explored how to establish public policies (legislation, regulation, etc.) with respect to radiation protection in view of the scientific uncertainties of the effects of low-level radiation [<100 millisieverts (mSv)].

Format of the Conference

Prior to the conference, invited participants were requested to submit a 1-2 page statement concerning what they considered to be the major issues of the conference and their expectations regarding the outcome of the conference. A conference briefing book containing all statements was distributed to the participants about one week prior to the meeting. The briefing book served two purposes: First, it gave each participant an opportunity to review issues about which others were concerned. Second, the organizers used the briefing book to develop discussion questions that were critical to the organization and outcome of breakout sessions.

The conference was organized to promote the exchange of information and discussion among the participants. This was done through plenary and breakout group sessions. The technical program is provided in Appendix B. Facilitators who did not have a professional interest in the subject material led plenum and breakout group discussions. After an opening session to set the conference goals and objectives, a policy session addressed the challenges in setting policy at the highest level and what the policymakers need to know. A sequence of sessions examined relevant issues, including scientific uncertainties; economic, political and social factors that influence policy; international organizations and policy;

¹ Ionizing radiation includes x rays and gamma rays. They differ from other types of radiation such as visible light, ultraviolet rays, and ultrasound by their ability to cause ionization of atoms and to break chemical bonds.

regional and national policy issues; and issues bridging science and policy. Each session included keynote presentations providing brief overviews to set the stage and stimulate the discussion in plenum. The goal of the last plenary session was to finalize conference conclusions and recommendations. A summary of each session is included in this report. Three breakout sessions were scheduled during the conference to explore specific questions relevant to the goals of the conference. Each participant was assigned to one of four breakout groups. Group assignments were made to balance national and professional perspectives in each group. Each group considered the same set of questions. At the end of each breakout session, a group reporter summarized discussions in a plenary session.

The breakout questions were as follows:

Breakout I: Clarify/define the issues associated with balancing science and the other factors influencing policy

- What do policymakers and regulators need to know in order to make decisions?
- How do risk, economic, social, psychological, political, scientific, and ethical factors influence policy and regulations?

Breakout II: Develop recommendations on the formulation of policy and regulations

- What are the major scientific uncertainties of concern to policymakers and regulators, and is it appropriate to use predictive theories to establish policy and regulations?
- How can advisory bodies (e.g., ICRP, NCRP) be used appropriately in the policy-making and regulatory process?
- How can constituency (e.g., public, industry) concerns be more effectively incorporated in the policy-making and regulatory processes?

Breakout III: Develop recommendations on the use of available resources, develop guidance on directions, and continue to develop overall recommendations and conclusions

- Are current regulations and policies appropriate? If not, what are the alternatives? What are the social and economic costs and benefits of alternatives?
- Should there be an international agreement to adopt a single coherent and consistent system of regulations and policies?

Plenary Session Summaries

Session 1: A Philosophical Overview of Policymaking

The first session of the conference focused on the challenges of setting policy and on what the policymakers need to know when formulating policy at the highest level. The description below reflects not so much a summary as the highlights of each person's remarks that indicate the needs of policymakers.

Peter Lyons began the session by reading a statement from U.S. Senator Pete Domenici who was not able to attend the session in person and sent his regrets. The Senator is keenly interested in the accuracy of the linear, non-threshold (LN-T) theory and commented that "If these standards overestimate risks, they force us to divert funds from other, potentially more worthy, national goals." Further, he was critical of the way the LN-T theory is being used, especially by the U.S. Environmental Protection Agency. He has personally taken action to influence the creation of an \$18 million research fund for the Department of Energy to look into the effects of low-level radiation. He has also instigated an investigation by the General Accounting Office to assess the cost impact of the application of the LN-T theory to projects such as the disposal of high- and low-level waste, nuclear power plant decommissioning, and environmental cleanup, as well as to look at variations of levels of natural background radiation in the U.S. and any correlation with cancer incidence. Finally, he is considering having Congress "...mandate that no standards be more stringent than the variation in natural levels within the United States for any substance or phenomena, unless specific health studies support the need for a departure." The Senator's bottom line is that responsible and honest scientific information is needed to guide policy and that standard setters need to be mindful of costs.

Bennett Johnston expressed similar reservations. He is especially concerned about costs. He gave as an example the costs for site characterization of Yucca Mountain, originally estimated to be \$60 million and now estimated to be \$6 billion, all due to what he sees as standards that are unnecessarily stringent and unjustified by the scientific evidence. He also expressed concern about the extraordinary public fear of radiation and on the other hand, scientists who seem to want to be politicians and heroes of the public and the press and distort science in that attempt. Bennett Johnston's

bottom line was that scientists and policymakers should follow good solid science.

Andrew Miller described guidelines set up by the British government, setting out key principles for the presentation of scientific information for policymaking. These guidelines address: the ability to identify issues early, the need to obtain information from a wide variety of sources, and the need to ensure that the process leading to a balanced view be transparent and consistent across policy areas. Miller emphasized the need for European Union policy to have a sound scientific basis. He recommended that scientists whose advice is being sought should help decision makers frame and assess policy options. Finally, he stressed the "...need to ensure that our citizens are well-informed and are not simply reliant upon the views of an editor with an ax to grind or of a pressure group."

Simon Carroll took a fundamental and philosophical approach. He stressed the importance of establishing the principles that should underpin policy and determining how they apply in practice. He stressed the need to identify what further scientific data needs to be collected to modify current policy or regulation. Carroll raised the question of how reasonable decisions can be made when there are uncertainties in the scientific data on the one hand and disputes on the underpinning principles on the other. He stressed the importance of the "precautionary principle" as a guiding principle in decision-making in this field and emphasized that, while risk assessment was an essential component of the application of the precautionary principle, risk assessment should be seen as only one of a number of factors to be taken into account.

Junko Matsubara presented a very useful description of the recent accident at Tokai Mura, Japan, together with the reactions of the experts, regulators, government and the public. She stressed the need for experts and the public to arrive at a proper recognition of risk, cost, and benefit of nuclear technologies. She gave support to the idea of comparing dose limits with natural background levels as a way to convey a better sense of level of risk.

KunMo Chung pointed out the great needs of developing countries for nuclear technologies in securing clean energy and utilizing radioisotopes for medical, agricultural and industrial applications. Because of the uncertainties surrounding the LN-T theory, he cautioned that

the scientific community needs to convey flexibility in options to the policymakers and regulators. He emphasized the need for stakeholder participation in policy-making along with the need to inform the public about "...unsubstantiated health effects and the existing uncertainties of scientific conclusions." He called for international collaboration on studies and recommendations and concluded that "We cannot afford public policy based on untested scientific judgment and illogical assessment of risks."

In summary, several key consistent messages can be distilled from Session I:

- underpinning principles should be established,
- policy should be based on sound science,
- uncertainties should be clearly delineated,
- processes need to be transparent,
- policies need to be consistent (nationally and internationally),
- stakeholder input is essential,
- citizens need to be accurately informed in language that is understandable
- relating dose limits to levels of natural background radiation and/or variations is useful

Session 2: Science Issues

In "The Science Issues" session, formal presentations and discussions on epidemiological and molecular and cellular radiobiology investigations focused on the nature of scientific uncertainties, current research problems and future needs to clarify mechanisms of radiogenic health effects, and reducing uncertainties in low-level radiation risk estimates. In the context of bridging policy and science, this approach was considered to be more productive than to attempt to resolve the LN-T debate, and its related policy and regulatory implications.

Epidemiology

Shigenobu Nagataki provided an overview of the Radiation Effects Research Foundation (RERF) activities, including the current status of the Life Span Study (LSS). This is the major source of data used by the scientific community to estimate the magnitude of radiation risks at low doses. The LSS was established in 1950 and has more than 80,000 subjects. About 75 percent of the exposed individuals received radiation doses less than 100 mSv. The objective of the RERF is to provide long-term follow-up of the large cohort of A-bomb survivors; to consider all biologically plausible theories to describe the shape of the dose-response function; and to consider modifying factors, such as age, that may affect the dose-response pattern. Although each scientist

may analyze data according to his/her own ideas, hypotheses, or methodologies, RERF has to consider seriously all suggestions, proposals, and criticisms. In this regard, collaborations with RERF are welcomed. Nagataki provided the following summary concerning the LSS solid cancer data: (1) There is a statistically significant dose-response over the range of 0-200 mSv; (2) the slope of this response is consistent with, and virtually identical to that for the full dose range; and (3) the best estimate of a threshold is essentially zero with an upper 95 percent confidence bound of less than 100 mSv. The understanding of cancer risks at low doses is limited, and thus a broad scientific approach including molecular and cellular radiobiology studies has to be considered. New molecular biology studies on the basic mechanisms by which radiation causes its effects can be conducted using the unique collection of tumor tissues from the RERF registries.

Dale Preston and Charles Land discussed some of the major scientific issues and limitations in radiation epidemiology based on experiences related to the A-bomb survivor data. Preston identified some of the limitations of low-dose epidemiological studies, including the low power (chance of detecting an effect when the effect is present) of studies in the low-dose range (less than 100 mSv), the difficulty and expense in conducting adequate medical follow-up of subjects, and the appropriateness of the study population as representative of the general population. He noted that the relevant hypotheses to be explored in epidemiological studies are: Does radiation modify disease risk?, and are the low dose risks consistent with linear extrapolation from risks seen at higher doses (the failure to observe an effect does not necessarily equate to no effect)? Preston outlined the strengths and limitations of several populations that provide or may eventually provide useful information on low-dose risks. These include the pooled analyses of nuclear worker cohorts, the Mayak and Techa River cohorts, Chernobyl liquidators, and the RERF LSS cohort. Preston also discussed issues in cellular radiobiology, including radiation effects and cells, how such cell effects determine long-term disease risk, and protective mechanisms, noting that uncertainties about repair, epigenetic effects, adaptive response, etc. preclude definitive conclusions in the low-dose range.

Land focused on quantifying the level of statistical uncertainty in the atomic bomb survivor cohort using, as examples, breast cancer and pancreatic cancer. Another source of uncertainty, translating risk estimates derived from one population to another population with different demographic characteristics, was also discussed. Land also explored the issue of thresholds. Based on present evidence, it is not possible to postulate with certainty any threshold below which there is no

risk. While a threshold cannot be totally ruled out, allowing for that possibility had little effect on the upper confidence or credibility limits for risk at low doses. Thus, the uncertain possibility of a low-dose threshold is unlikely to have any practical influence on a conservative, risk-based radiation protection policy.

Discussions on human health effects focused on the LSS data. Preston indicated that modification of Hiroshima neutron doses, while lowering the LSS-derived risk estimates somewhat, still appear to be consistent with low-dose linearity. It was also recognized that studies of residential radon exposures and lung cancer risks and various medical studies have also been conducted and provide important epidemiological evidence that complement the LSS data. In addition, a large body of data derived from laboratory animal studies has been important in identifying various host and environmental factors and their relation with radiation as determinants of cancer risk. Studies in animals have also been important in bridging effects observed at the molecular and cellular level with the appearance of cancer in the whole organism.

Molecular and Cellular Radiobiology

Carmel Mothersill, Richard Setlow, and Klaus Trott reviewed the current status of molecular and cellular radiobiology, factors that modify risk, what scientific studies may be useful in clarifying mechanisms of molecular and cellular damage, and how uncertainties in radiation risk may be reduced.

Mothersill reviewed effects of radiation on cells at low dose (less than 50 mSv) including genomic instability, persistence of stress response, bystander effects (field effects involving cells not hit by radiation), apoptosis (programmed cell death), proliferation stimuli and induced repair. Cell damage at low dose appears to be similar to stress response. Stress response is saturated at doses less than 10 mSv. The consequences of exposure are dictated by the response to the damage rather than the damage itself. There are important scientific questions that are still to be resolved: What are the mechanisms and consequences of genomic instability and bystander effects? How does a particular cell decide whether to repair radiation damage or induce apoptosis? Since some environmental agents (e.g. some metals) also produce genetic instability, are there common mechanisms involved in radiation and chemical injury? Understanding the long-term health impacts of radiation exposure requires a shift in thinking away from effects in single cells (such as DNA double strand breaks) to field effects and damage in cell populations and tissues and organs. Long-term effects in cells are becoming increasingly important.

Tissue architecture and proliferation kinetics of stem cells and progenitor cells are important in understanding long-term disease processes. Mothersill also stressed that evidence for thresholds for specific mechanisms did not mean that thresholds exist for disease risk.

Setlow discussed factors that modify radiation risk at the cellular level: DNA repair removes damage before replication. Adaptation involves small doses of radiation that reduce the effects of subsequent large doses. Apoptosis reduces mutations and possibly cancer by programmed cell death of damaged cells. Bystander effects involve cells damaged by high linear energy transfer (LET) radiation (e.g., alpha particles) that may result in mutation and transformation of contiguous neighbors. Genetic instability involves chromosomal changes and mutations that may appear after a large number of cell divisions. Setlow also discussed the nature of DNA damage and its repair. Single strand breaks and base damage are repaired rapidly and completely. These DNA effects occur very frequently in cells but have few, if any, health consequences. Double strand breaks occur much less frequently (about 5 percent of the single strand break rate); the fact that the repair of such damage is slow and incomplete may have significant health consequences. The health consequences of multiply damage sites in DNA may be significant; repair of such damage appears to be inefficient. The kinetics of DNA damage in cells argue against the existence of a threshold.

Klaus Trott discussed several scientific issues that need to be addressed for future policy and regulatory decision-making. Low-dose epidemiological investigations are limited in part because of the non-specificity of radiogenic cancer and the absence of clearly distinguishable DNA fingerprints to identify radiogenic disease. The molecular features of the specific mutations in radiogenic cancer in man (PTC 3 translocations or point mutations rather than deletions as was expected) suggest that the critical mutation does not occur as a direct result of radiation interactions with DNA but during processing and/or repair of the initial lesion. These observations do not support the microdosimetric argument in favor of the LN-T theory.

In the discussion, there was a consensus that no breakthrough exists that would have permitted a final conclusion about the shape of the dose-response at low doses. There were various questions about technical issues of particular analyses, but these did not affect the general conclusion about uncertainty. Some differences of opinion existed about the correct way to handle presumed but undetectable small risks—should they be disregarded or not?

Session 3: Bridging to Application— Factors That Influence Policy

This session summarized a number of factors other than science that impact policy and regulation. Presentations focused on risk, economic, social, psychological, and ethical factors.

Risk Assessment

George Gray made the case that, because of limitations on resources, comparative risks should be taken into account in setting priorities for resource allocation. This should apply to all societal activities, including the regulation of radiation exposure. The principles of risk analysis are becoming accepted and used beyond simple standard-setting to risk management. It allows quantitative determination of benefit/cost ratios and allows society to expend resources on tackling the worst problems first. Risk analysis has been used to compare different types of risk and communicate these comparisons to the public. This has proved effective in helping prioritize risk in more than 35 U.S. states, regions, and tribal governments.

In making comparative risk analyses it is important to use the best available information on risks and account for uncertainties, rather than conservative values. The latter have been justified on the basis that it is better to be safe than sorry, but conservative input can skew the results toward unrealistic comparisons. Precautionary notions do not belong in risk assessment exercises; this is a social factor that should be applied when the real risk is known. However, there is still much to be done, and evolution of risk analysis methods and risk characterization must continue if this technique is to fulfill its true potential in helping to guide policymakers and regulators toward optimal solutions for society.

Economics

Neville Chamberlain examined the economic cost of regulation. He used several examples to illustrate how meeting escalating regulatory requirements has driven costs to unreasonable levels for the benefits obtained. In particular, the collective dose concept has been inappropriately applied. Multiplication of very small individual doses by very large populations is an incorrect application and abuse of the collective dose concept as developed from the LN-T theory. If there is no agreement on a threshold for radiation-induced health risks, we must get the near-zero risks in proper perspective and agree on a cut-off level for regulatory purposes and restore a balance to the use of economic resources. The conclusion was that a line has to be drawn somewhere in the reduction of radiation dose at

ever-increasing costs. Chamberlain argued that the absence of such a line amounted to economic abuse of prudence and has resulted in a vacuum that has led to distorted energy policy. Clear guidance from the scientific community is needed to counter the trend of political campaigners and the popular media to use unscientific and emotional information to sway politicians and regulators toward requirements that result in unnecessary expenditures to the detriment of society at large.

Social Issues

In addressing social issues, Rick Jones proposed that the time has come for shared responsibility. We need more communication and transparency. Current and past U.S. practice have involved recommendations from national and international bodies using a closed group of professionals (where tradeoffs were not transparent and uncertainties were not well documented) with the result that policymakers and regulators have wound up defending a system of protection that they poorly understand. Reactions of the public, labor unions, special interest groups, and the press resulted in the courts being the final judge and interpreter of radiation protection policy.

For the future, it was proposed that we should democratize radiation protection policy by opening the dialogue and forums to the public, unions, policymakers (politicians), press, and courts and require federal agencies to achieve consensus on radiation protection requirements. This would require an advisory committee for all new rulemakings. Shared responsibility would require agreement on resolving issues, involving all parties and would result in final policy which could be implemented in an efficient and effective manner, despite the uncertainties of science. This approach has been used effectively in beryllium rulemaking in the U.S. and in resolving the issue of contamination in the Marshall Islands.

Psychological Factors

Lennart Sjöberg traced the historical evolution of thinking on social issues and pointed out that in the 1970s the so-called psychometric model was published. The cultural theory of risk perception evolved in parallel. However, neither of these models pass the systematic empirical tests that have been done. In the 1980s, risk communication (essentially “teaching”) was tried, with disappointing results.

In the 1990s, social scientists began to see risk communication as a dead end, and “trust” was suggested as the key factor. It was believed that trust might be

established through transparency of policy and real influence on decision-making. But who should be involved, since the silent majority were not interested enough to invest the time needed? Stakeholders seemed to be the answer to representing the public. However, trust does not seem to be a strong factor in risk and related attitudes. People do trust the experts but do not accept their conclusions, because the public believes that there are unknown effects and factors that are not understood. Furthermore, stakeholders do not represent the public, but their own particular interests.

While experts talk about risks as probabilities, the public thinks in terms of the severity of consequences, and this is the key difference in the view points of experts and the public. We haven't really understood how to deal with this yet.

Ethical Issues

Deborah Oughten said that ethical values are complex in risk evaluation, particularly when science cannot identify a safe level of radiation. There is a problem with risk and benefit being distributed over different populations at different times. However, recommendations are vague as to what ethical values should be incorporated into radiation protection. From an ethical standpoint, the following questions might be included: Do the benefits outweigh the costs? Is the distribution of risk and benefit equitable? Have affected people been involved in the decision-making process? Is there a viable alternative? Does the person have control over (or has the person given consent to) the risk? Has the person been compensated for the risk?

The justification principle is in line with the ethical principle that one should do more good than harm. However, net benefit is not usually adequate to deem a practice ethically justifiable. Although the ALARA principle has been criticized both for putting a price on human life and for causing an excessive use of funds, there are strong ethical grounds for retaining some form of optimization in radiation protection policy. However, authorities should guard against pursuing cost-effectiveness without due consideration of other ethical values.

Dose limits are criticized by some people who feel they are too high and by others who feel they are too low. They usually relate only to humans and not to other

species. Small harms, while never ethically irrelevant in themselves, may be deemed trivial and not worth the investment of resources for regulation or control.

Session 4: International Organizations and Policymaking

This session focused on the role of international organizations in the policy-making process. Abel Gonzalez discussed IAEA activities in the policy arena. IAEA is promoting an international radiation safety regime to foster international consensus on radiation issues and facilitate the solution of problems faced worldwide in regulation of radiation². The regime's key elements are legally binding international undertakings by states, globally agreed international safety standards, and provisions for applications of standards. The scientific policy supporting the regime is formulated by the United Nations Scientific Committee on the Effects of Atomic Radiation (UNSCEAR) for the scientific database on radiation health effects, and the International Commission on Radiological Protection (ICRP) for the radiation protection recommendations. The regime serves as a decision-aiding mechanism that should be coupled to societal and other concerns (e.g., stakeholders) in the decision-making process.

Roger Clarke discussed ICRP activities. Recommendations on radiation safety are the main role of the ICRP. Over the past 60 years of its existence, the ICRP has continually evolved as radiation knowledge developed. Initially, the ICRP focused on prevention of deterministic effects, simple severity thresholds, and the idea that protecting society also protects the individual. Now, the ICRP is concerned mainly with recommendations related to stochastic effects (e.g., cancer), dose effects relations and a precautionary as-low-as-reasonably-achievable (ALARA) philosophy and acceptable risks, and a focus on individual risk and averting individual doses.

Burton Bennett provided an overview of UNSCEAR activities. UNSCEAR, created in 1955 to monitor atmospheric weapons fallout, has served as an international resource and database for radiation levels worldwide. Its periodic reports to the United Nations General Assembly now include scientific summaries and integration of the world literature on fallout, health effects, natural background radiation, adaptive response, and practices involving radiation.

²Under Article III.A.6 of the IAEA Status, the Agency is authorized "to establish or adopt, in consultation and, where appropriate, in collaboration with the competent organs of the United Nations and with the specialized agencies concerned, standards of safety for protection of health and minimization of danger to life and property." Details about IAEA safety standards may be found in IAEA (1999) Measures to Strengthen International Co-operation in Nuclear, Radiation and Waste Safety, IAEA General Conference Document GC(43)/INF/8, Vienna: IAEA; and Safety Standards (1998) IAEA Bullentin 40(2).

Geoffrey Webb discussed the International Radiation Protection Association (IRPA). IRPA is a global association of radiation safety and protection societies. It sponsors international and regional congresses. It promotes the role of professionals in development of policies and standards, has developed a code of ethics, and emphasizes rationality and stability in supporting the profession of health physics.

Patrick Green discussed activities of Friends of the Earth. This organization strives to enhance the societal role in developing and monitoring radiation policy. It encourages increased activity by industry in managing its radiation legacy. It fosters increased societal, ethical and political values in the decision process and in policy development. Above all, it emphasizes the need for justification of decisions and actions and openness and transparency in the “debate.”

Session 5: Regional and National Policies

This session was devoted to discussions concerning development of regional and national radiation policies. Overviews were provided by John Loy (Australia), Kaare Ulback (European Union/Denmark), Kun-Woo Cho (Korea), and Stephen Page (United States). The following summary emphasizes the key messages from the session, rather than providing a précis of each speaker’s presentation.

ICRP plays a central role in determining radiation policies among countries represented in the session. Translation of ICRP recommendations into highly binding directives differs from one country to the next, but in all cases takes a long time (five years at least in Australia). Because of the effort needed to transform ICRP recommendations into regulations (and for other reasons), “stability” in ICRP recommendations is desirable.

In the European Union (at the moment 15 member states) the Euratom Treaty of 1957 requires uniform basic safety standards to be set in order to protect workers and the public from health risks of exposure to ionizing radiation. Since 1959 seven revisions of the *Standard Directive* have been negotiated and put into force in Europe. These revisions have been based on the latest recommendation from ICRP and have supported the basic principles of radiation protection (justification, optimization, dose limitation), and licensing procedures (reporting and prior authorization of practices). The present *Standard Directive*, adopted on 13 May 1996 by the Council of the European Union, is based on the 1990 recommendations of the ICRP (ICRP

Publication 60) and is to be implemented by the member states before 13 May 2000. Being minimum directives, the actual incorporation into national legislation is left to the individual member states. Minor differences in the detailed regulations among member states may be expected.

International cooperation in crafting radiation regulations is happening and is useful, but difficult. For instance, U.S. flexibility is somewhat limited by historical regulatory and legal actions requiring lifetime risks $<10^{-4}$. It seems most attainable in areas of shared interest where there is clear need for harmonized regulations, e.g., standards for commodities (contaminated metals) and environmental restoration of contaminated sites (shared problem).

Public confidence in regulations and policies is important in all countries represented on the panel. It is especially critical in Korea where past mistakes, distrust of military dictatorship and memories of the atomic bombings create significant fear of radiation and where economic development is dependent on nuclear power. Public confidence is thought to improve if radiation policies and regulations are established in an open atmosphere; there is some evidence of increasing moves toward more public participation. For example, Australia now includes a representative of the public on its chief authoritative radiation review board.

It is highly important to establish national/regional radiation regulations in which the public has confidence. Billions of dollars are being spent on cleanup at U.S. Department of Energy contaminated sites. One must do this right and apply resources to sites appropriately. There is some urgency, and decisions are being made now.

Session 6: From Science to Policy and Regulations

This session addressed the reconciliation of science, international recommendations, and governing policy in the formulation of regulations. Overviews were provided by Klaus Becker (Germany), David Michaels (United States), Annie Sugier (France), and Tsutomu Sugahara (Japan).

The session focused on developing needed regulations. The “givens,” which had already been discussed in the meeting, were the science, with its inherent uncertainties, the activities of the various international and national bodies, and the policies that the various bodies had developed. Regulations need to reflect these policies.

Richard Osborne opened the session by reflecting on the tour that the Conference attendees took to Thomas Jefferson's home, Monticello, the previous day. He noted that Jefferson would like the goals of our Conference and that it was Jefferson himself who said "Knowledge is happiness." This session should bring together the knowledge that we have; the audience should be happy despite the differing opinions. Getting this last step right is key, though; regulations are where the "rubber meets the road."

Annie Sugier emphasized that the common theme of the session was that "Working together is the key." She pointed out that this needs to be achieved at the national and the international level and, most important, at the local level. There are a number of aspects to this: shared responsibility, value judgments, paradoxes, misperceptions, non-science issues, and science not being taken for granted. She stressed the necessity to structure the debates making a clear distinction between the different stages of radiological risk management and acknowledging the existence at each stage of not only scientific and technical aspects but also judgments by experts that need to be explained.

Several speakers pointed out that there is a responsibility for all those who are generating policies and regulations to ensure that all who are involved can state their views and be comfortable that their voices are heard. The corollary of this is that there is a responsibility of those so involved to work toward constructive solutions.

There will be value judgments both in setting the policies and in developing the regulations. Much of the confusion and angst that arises in reactions to regulations arises from failure to have made such value judgments explicit.

Paradoxes are also commonly a part of the picture. Klaus Becker gave a vivid example of the paradox that occurs with radon. It is accepted and even promoted as a health benefit in radon spas while governments try to emphasize the importance of controlling it in the home. These paradoxes will continue to arise because of the approach that is necessarily taken in selecting for the purposes of protection a single theory for the relationship between radiation exposure and effects on health. He felt that the LN-T theory was not necessarily the most appropriate one.

David Michaels used the example of radioactively contaminated nickel from DOE in steel that might get into orthodontic braces as well as other commercially used products. He noted that recycling metals may be the right thing to do, but we need to involve the public in helping to deal with their issues and concerns.

Tsutomu Sugahara voiced concern that more attention needs to be paid to the uncertainties in the science that underlie the development of regulations. He noted examples where biological endpoints that show a response to low doses of radiation may, in fact, not be correlated with cancer causation. He cited the "trans-scientific" nature of the science for risk management that is involved here. In these situations, he felt that the standards to be developed needed to reflect the views of a large peer community, including the public. Risk assessment was essential, and Sugahara suggested that the medical and engineering fields could provide help in solving this particularly difficult risk assessment problem.

Questions and comments dealt with how we can compare different kinds of risk so that money is not spent to reduce types of risk that are low. A common theme was that unless the people affected are involved in making the decisions and value judgments, they are unlikely to accept the outcome.

Session 7: Problems and Options

This session focused on the main problems in implementing present radiation policy and whether (and how) such policy should be changed. Roger Clarke contended that the current international ICRP's 1990 recommendations, stemming from the ICRP's 1990 recommendations, has a number of problems. In general, it is overly complex and incoherent. Specific problems include difficulty in classifying certain situations as practice or intervention, no limits in emergency situations, and misuse of collective dose. He proposed a simpler approach based on controllable dose, recognizing that if the dose to the most exposed is controlled then the total risk is acceptable³. His approach would involve an individual dose scale, which would take into account background radiation and provide a basis for policy-making. Criteria could be presented on doses that are fractions or multiples of background and there would be a level (e.g., less than 0.03 mSv) below which dose would be considered trivial. ALARA would be replaced with ALARP (i.e., as low as reasonably practi-

³Controllable dose may be defined as the dose or the sum of the doses to an individual from a particular source that can reasonably be controlled by whatever means. Details about the controllable dose concept may be found in: Clarke, R. (1999) Control of low-level radiation exposure: time for a change? *Journal of Radiological Protection* 19(2): 107-115.

able), and the concept of “justification” would be elevated to a higher decision-making level. In addition, it would no longer be necessary to differentiate between occupational, public and medical exposures. Finally, this approach could be a basis for developing an environmental radiation protection policy.

Helen Garnett referred to four cases to demonstrate the deficiencies in the application of the current system, both nationally and internationally. She, too, called for a simpler approach embodying greater harmonization of standards and their application that would be helpful to countries where regulatory practices are still evolving as well as to those where they are mature. This simpler system should: (a) embody a practical approach to declassification/exemption of material previously classified as low-level waste where, with further evaluation against newer principles/criteria, classification would no longer apply, and (b) eliminate the often inappropriate automatic application of the collective dose approach. Such a system should be based on “protection of the most exposed individual” in appropriate circumstances. Like Clarke, she saw a need to move away from the distorted ALARA approach so often used where the interpretation is just as low as achievable, to a more flexible standard taking into account social and economic issues. Garnett stressed that the lack of international consensus on science issues leaves open the possibility that low operational doses can lead to unnecessary public concern. She sees utility in providing to workers and the public explanations of dose in terms of natural background and airline travel. In this connection, she recommended that policymakers and the public be informed that 1mSv is a level below which there is uncertainty about the effects of chronic low dose exposure. Such a level is equivalent to the dose received by airline travellers making four round-trip flights per year between Sydney and London. Decisions need to take into account social, economic, and political factors, although doses at very low levels (e.g., 0.25 mSv) corresponding to one round-trip flight between Sydney and London could be considered trivial.

Maurice Tubiana focused his presentation on the LN-T approach of the current system. He stressed that there is no evidence of carcinogenic effect at doses below 100 mSv and that LN-T theory is not compatible with data from a number of studies or with the complexity of carcinogenesis. In addition, he noted that the LN-T theory actually has demonstrably detrimental effects, having fueled unnecessary anxiety in the aftermath of the Chernobyl accident, leading the public to resist medical and other useful non-power applications of atomic energy, and necessitating disproportionate expenditures with respect to very low risks. He called for a clear

statement that the LN-T theory cannot be used to predict the number of cancer risks below 50 mSv. Like Clarke and Garnett, he expressed misgivings about the ALARA principle, which he said was misleading because it indicates that even the smallest dose is harmful. In this regard, he noted that when all data are considered together (including those corresponding to osteosarcoma induced by radium in the dial painters and hepatoma in patients having received thorotrast), the only simple dose-effect relationship which fits all the data is the quadratic one. With this relationship the effect becomes extremely small when the dose is very low. Tubiana advocated more research to demonstrate whether the relationship between dose and effect is better explained by a quadratic relationship rather than the LN-T theory. He called for a more balanced approach to risks from nuclear and other sources and emphasized that public health measures should be determined on the basis of a rational assessment of their cost and benefits. Tubiana said there was a need to base radiological protection on new concepts, as proposed by Clarke and Gonzalez, related to doses which require intervention or monitoring, or are considered negligible.

Nils Diaz pointed out that the scientific debate relative to radiation protection must be of high quality to be useful to policymakers, or it will likely delay policy. In any case, the nuclear debate, including radiation protection issues, cannot be carried out only at the scientific level, but must incorporate social, political, and economic issues. Moreover, there is a pressing need to educate the news media on nuclear/radiological issues, including the cost to society for radiation remediation, and to have more stakeholder involvement in a transparent decision-making process. Diaz saw merit in moving to a system based more on individual than collective dose/risk and said he would support consideration of such a system once it might become finalized. In any case, it was necessary to eliminate the application of collective dose to very low doses in large populations and/or doses delivered over long time periods, although its use as a performance indicator was justified. He also stressed that no radiation dose was below regulatory concern, although certain levels should be below regulatory action. He noted that the validity of the LN-T or threshold theories is not known and therefore it was necessary to focus on the relevant application to today's issues. What is needed is a 10-year hiatus during which research would continue, interim policy would exist, and decision-making could proceed taking into account dose levels at which there is confidence that health effects from radiation are indistinguishable from existing everyday health effects. Finally, he noted the NRC is going through a period of change, which provides an opportunity to consider new approaches.

Conference Conclusions and Recommendations

The conference conclusions and recommendations were based on discussions in plenum and responses to breakout group questions. A number of conference conclusions and recommendations were suggested. Considering that many recommendations were not fully considered because of the lack of time, the participants agreed that another conference should be organized to further develop these and other recommendations. The following list reflects these conclusions and recommendations that received the broadest support.

Conclusions

- Ionizing radiation is a well-known human carcinogen. During the past 50 years numerous epidemiological studies of adult human populations exposed to radiation from medical, occupational, or military purposes have been conducted. The lowest dose at which a statistically significant radiation risk has been shown is ~ 100 mSv. This does not imply the existence of a threshold.
- The effects of low-level radiation below 1 mSv per year above background radiation cannot currently be distinguished from those of everyday natural health hazards.
- The concept of collective dose is often misapplied, e.g., to estimate health impacts of very low average radiation doses in large populations and/or doses delivered over long time periods. Collective dose can be a useful comparative tool, for instance, in the evaluation of protection options.
- It is essential to continue to foster international cooperation in radiation safety. In particular, international harmonization of radiation safety policies for radiation sources delivering low radiation doses should be developed.
- Consistent and coherent radiation policy on a national level is necessary for the effective implementation of radiation safety.
- Economic, environmental, ethical, psychological, and scientific factors are all essential in the policy and regulatory decision-making process to assure public health and well-being. The way in which these factors are incorporated in nation-specific decision-making processes may vary.

- Concern over low doses should not deter the public from obtaining benefits of medical procedures.

Recommendations

Policy and Regulatory Process

- Policy discussions on the regulation of radiation sources delivering low-level radiation should include references to natural background radiation.
- The conference supports the evolving global framework of the International Atomic Energy Agency (IAEA) for the safe use of radiation.
- The conference supports further development and evaluation of the ideas associated with the proposal on controllable dose.
- No radiation dose is below regulatory concern but certain levels should be below regulatory action, and appropriate dose levels should be established.

Science

- Fundamental questions about the shape of the dose-response curve and mechanisms of effects of radiation at low doses are unlikely to be answered in the near future. Scientific research, including molecular and cellular radiobiology studies are critical in order to better understand mechanisms of radiogenic effects, and providing important information about the likely shape of the dose-response curve at low doses of radiation, and should be coordinated and continued.
- Multinational support and analysis of human data derived from studies such as the Radiation Effects Research Foundation (RERF) Life Span Study, the Russian Mayak and Techa River studies, nuclear workers studies, and studies of populations living in high natural background areas to assist in reducing scientific uncertainties in risk and in elucidating mechanisms of radiation health effects are strongly encouraged. These data offer a unique opportunity to further quantify effects at low doses in human populations.

Constituent Concerns

- Groups involved in the development of policy and regulations, or making recommendations for such policies and regulations, should operate in an open and transparent manner, and engage in dialogue with stakeholders.
- There is a pressing need for more effective communication by scientists with the public, politicians, policymakers, regulators, and other interested persons. The science should be clearly articulated, emphasizing what we do and do not know, explaining the limitations in the information, and what we are doing about it.

APPENDIX A

List of Participants

Ralph Andersen

Sr. Project Manager
Nuclear Energy Institute
1776 I St., NW, Suite 400
Washington, DC 20006
USA

Klaus Becker

Boothstr. 27, D-12207
Berlin,
Germany

Ralph Beedle

Sr. VP & Chief Nuclear Officer
Nuclear Energy Institute
1776 I Street, NW, Suite 400
Washington, DC 20006
USA

Burton Bennett

Secretary
UNSCEAR
P.O. Box 500
A-1400 Vienna
Austria

Hans Blix

Director General Emeritus
IAEA
1 Runebergsgatan
11429 Stockholm
Sweden

Simon Carroll

Advisor, Nuc. & Disarmament Affairs
Greenpeace International
Keizersgracht 176
1016 DW Amsterdam
The Netherlands

Neville Chamberlain

INEA
2 The Paddock
Hinderton Road
Neston, Cheshire CH64 9PH
UK

Kun-Woo Cho

Head, Radiation Protection Dept.
Korea Institute of Nuclear Safety
PO Box 114, Yusong
Taejon, 305-600
The Republic of Korea

KunMo Chung

Commissioner, Korean Atomic Energy Commission
9430 Meadow Shire Lane
Great Falls, VA 23066
USA

Roger Clarke

Prof. & Chairman, Intl. Comm. Radiological Prot.
National Rad. Protection Board
Chilton, Didicot
Oxfordshire, OX11 0RQ
UK

David Coulston

Director Environment, Health & Safety
British Nuclear Fuels PLC
Hinton House, Risley
Warrinston, Cheshire, WA3 6AS
UK

Gail de Planque

President
International Nuclear Societies Council
11136 Powder Horn Drive
Potomac, MD 20854
USA

Nils Diaz

Commissioner
U.S. Nuclear Regulatory Commission
11555 Rockville Pike
Rockville, MD 20852
USA

Greta Dicus (unable to attend)

Commissioner
U.S. Nuclear Regulatory Commission
MS 016-C1
Washington, DC 20555
USA

Jill Fitch

Director, Radiation Protection Branch
Department of Human Services
PO Box 6, Rundle Mall
Adelaide, South Australia 5000
Australia

Duane Fitzgerald

Assistant Director
U.S. General Accounting Office
441 G St. NW, Room 2T23
Washington, DC 20548
USA

Joseph Fitzgerald

Deputy Assistant Secretary
U.S. Department of Energy
1000 Independence Avenue
EH-1
Washington, DC 20545
USA

Helen Garnett

Chief Executive
Australian Nuclear Science and
Technology Organisation (ANSTO)
Private Mail Bag 1, Menai NSW 2234
Australia

Norman Gentner

Senior Science Advisor
Atomic Energy of Canada (AECL)
Health, Chemistry & Environmental Div.
Chalk River, Ontario K8H 2W8
Canada

Marvin Goldman

Professor Emeritus
University of California, Davis
1122 Pine Lane
Davis, CA 95616
USA

Lawrence Goldstein

Manager, Toxicology
Electric Power Research Institute
3412 Hillview Ave.
Palo Alto, CA 94304
USA

Abel Gonzalez

*Director, Division of Radiation
and Waste Safety*
IAEA
PO Box 100, Wagramerstrasse 5
A-1400 Vienna
Austria

Patricio Gonzalez

Secretary General WFNMB.
Nuclear Medicine Section
Clinical Hospital,
University of Chile
Chile

George Gray

Harvard School of Public Health
Harvard Center for Risk Analysis
718 Huntington Avenue
Boston, MA 02115
USA

Patrick Green

Senior Campaigner
Friends of the Earth
26 Underwood Street
London N1 7JQ
UK

Jean-Claude Guais

Vice President, Strategic Development
Cogema Inc.
7401 Wisconsin Avenue
Chevy Chase, MD 20814

Robert M. Hallisey

Chairperson CRCPD
205 Capitol Avenue
Frankfort, KY 40601
USA

Ole Harbitz

Director General
Norwegian Radiation Protection Auth.
Grini Naeringspark 13
PO Box 55
N-1361 Østerås
Norway

Stan Hatcher

President, Stan Hatcher & Assoc.
14423 Winston Churchill Blvd.
Terra Cotta
Ontario L0P 1N0
Canada

Carolyn Huntoon

Assistant Secretary, Office of Environmental Mgmt.
U.S. Department of Energy
1000 Independence Ave. SW, 5A014
Washington D.C. 20585
USA

Raymond Johnson Jr.

President, Health Physics Society
481 N. Fredrick Ave., Suite 302
Gaithersburg, MD 20877
USA

Bennett Johnston

Chief Executive Officer
Johnston & Associates
1455 Pennsylvania, NW – Suite 200
Washington, DC 20004
USA

Cynthia Jones

Senior Assistant for Materials
Office of Commissioner Dicus
US Nuclear Regulatory Commission
Mail Stop 016-C1
Washington, DC 20555
USA

C. Rick Jones

Director
Office of Worker Protection
Program and Hazards Management
EH-52/270CC
U.S. Department of Energy
19901 Germantown Road
Germantown, MD 20874-1290
USA

Andrew C. Kadak

President
American Nuclear Society
555 N. Kensington Ave.
LaGrange, Illinois 60526
USA

Kenneth Kase

Associate Director, Environment, Safety & Health
Stanford Linear Accelerator Center
Menlo Park, CA 94025
USA

Ron Kathren

AAHP, Past President
Professor Emeritus
Washington State University
2710 University Drive
Richland, WA 99352
USA

Martha Krebs

Director, Office of Science
U.S. Department of Energy
1000 Independence Ave. SW
Washington, DC 20585

Charles Land

Chief, Risk Analysis Section
Radiation Epidemiology Branch
NCI/NIH
EPS 7046
6120 Executive Blvd., MS 7238
Bethesda, MD 20892-7238
USA

Jai Ki Lee

Professor
Department of Nuclear Engineering
Hanyang University
17 Hangdang, Sungdong-ku
Seoul, 133-791
Korea

John Loy

Chief Executive Officer
ARPANSA
P.O. Box 655
MIRANDA
New South Wales 2228
Australia

Peter Lyons

Science Advisor
Senator Domenici's Office
Hart Senate Office Building, Room 328
2nd & C Street, NE
Washington, DC 20510 USA

Sigurdur M. Magnússon

Director
Icelandic Radiation Protection Institute
Raudararstigur 10
150 Reykjavik
Iceland

Andre Maisseu

President
World Council of Nuclear Workers
49, rue Lauriston
75116 Paris
France

Frank Marcinowski

Acting Director, Radiation Protection Div., ORIA
U.S. Environmental Protection Agency
401 M Street, SW (6608J)
Washington, DC 20460

Junko Matsubara

Commissioner
Nuclear Safety Commission
2-2-1, Kasumigaseki, Chiyodaku
Tokyo, 100-8966
Japan

Charles Meinhold

President
NCRP
7910 Woodmont Avenue, Suite 800
Bethesda, MD 20814-3095
USA

Richard A. Meserve

Chairman
U.S. Nuclear Regulatory Commission
Mail Stop 0-16C1
Washington, DC 20555-0001
USA

David Michaels

*Assistant Secretary for Environment,
Safety and Health*
US Department of Energy
1000 Independence Ave., S.W.
Washington, D.C. 20585
USA

Andrew Miller

Member of Parliament
House of Commons
London SW1A 0AA
UK

William Mills

Past President
Health Physics Society
2915 Ascott Lane
Olney, MD 20832

Kenneth Mossman

Professor and Director
Office of Radiation Safety
Arizona State University
Tempe, AZ 85287-3501
USA

Carmel Mothersill

Radiation Science Centre,
Dublin Institute of Technology
Kevin Street,
Dublin 8
Ireland

James Muckerheide

President Radiation Science & Health
Center for Nuclear Technology and Society at
Worcester Polytechnic Institute
793 Great Plain Avenue
Needham, MA 02492
USA

Manning Muntzing

President
International Nuclear Law Association
8305 Turnberry Court
Potomac, MD 20854
USA

Shigenobu Nagataki

Chairman
Radiation Effects Research Foundation
5-2 Hijiyama Park
Minami-ku
Hiroshima 732-0815
Japan

Hideki Omichi

Director
Japan Atomic Energy Research Institute
Washington Office
1825 K Street, NW
Washington, DC 20006

Richard V. Osborne

Box 1116
7 Pine Point Close
Deep River
Ontario, K0J 1P0
Canada

Tara J. O'Toole

Senior Fellow
Johns Hopkins University
Center for Civilian Biodefense Studies
111 Market Place, Suite 850
Baltimore, MD 21202-6709

Deborah Oughton

Professor
Norwegian Agricultural University
NLH
Postboks 5026
NO 1432 As Norway

Stephen Page

Office Director
Office of Radiation and Indoor Air
U.S. Environmental Protection Agency
401 M. St. SW, 6601J
Washington DC 20460
USA

Dale Preston

Radiation Effects Research Foundation
5-2, Hijiyama Park,
Minami-ku, Hiroshima 732-0815
Japan

Jerome Puskin

Director
Center for Science and Risk Assessment
U.S. Environmental Protection Agency
401 M St. SW, 6608J
Washington, DC 20460
USA

Genevieve Roessler

Professor Emerita
University of Florida
RR1, Box 1394
Elysian, MN 56028
USA

Randal Scott

Director, Off. Safety, Health & Security
U.S. Department of Energy
Office of Environmental Management
1000 Independence Avenue, SW
Washington, DC 20585

Paul Seligman

*Deputy Assistant Secretary for
Health Studies (EH-6-270CC)*
U.S. Department of Energy
19901 Germantown Road
Gemantown, MD 20874
USA

Richard Setlow

Senior Biophysicist
Biology Department
Brookhaven National Laboratory
Upton, NY 11973
USA

Lennart Sjöberg

Stockholm School of Economics
Box 6501
113 83 Stockholm
Sweden

Daniel Strom

Staff Scientist
Pacific Northwest National Laboratory
MS K3-56, PO Box 999
Richland, WA 99352
USA

Tsutomu Sugahara

Professor
Health Research Foundation
Pasteur Bldg. 5F
103-5 Tanaka Monzen-cho
Sakyo-ku, Kyoto 606-8225
Japan

Annie Sugier

Director of Protection
Institut de Protection et de Sureté Nucléaire
BP 6
Fontenay-aux-Roses 92265
France

Geoffrey Webb

International Radiation Protection Association
“Brunswick”
Cornwall Gardens
Brighton, BN1 6 RJ
England

David Thomassen

Program Coordinator
DOE Office of Biological & Environmental Research
19901 Germantown Road
Germantown, MD 20874-1290

Sam Thompson

Deputy Director-General
OECD Nuclear Energy Agency
12 Blvd. Des Iles - Le Seine St-Germain
92130 Issy-les-Moulineaux
France

Klaus Trott

Professor
Department of Radiation Biology
St. Bartholomew’s Medical College
Charterhouse Square
London EC1M 6BQ
UK

Maurice Tubiana

Professsor
Academie des Sciences (Paris, F)
Centre Antoine Bécélère
Faculté de Médecine
45, rue des Saints-Pères
75006 Paris
France

Kaare Ulbak

Director of Institute
National Institute of Radiation Hygiene
Knapholm 7
DK 2730 Herlev
Denmark

Jack Valentin

Secretary
International Commission on Radiation Protection
SE-17116 Stockholm
Sweden

APPENDIX B:

Technical Program

Wednesday, 1 December

Reception and Dinner
Introduction of organizers and program committee

Thursday, 2 December

Opening of Conference
Chairs: *E. Gail de Planque* and
Sigurdur M. Magnusson

Introduction of Key Speaker
Manning Muntzing

Overview of Goals and Objectives of Conference
Hans Blix, Director General Emeritus IAEA

Session 1 – A Philosophical Overview of Policymaking

This session will focus on the challenges of setting policy and what the policymakers need to know when formulating policy at the highest level.

*Peter Lyons, Chief of Staff for
Senator Domenici, U.S. Senate*
Bennett Johnston, Former U.S. Senator
*Andrew Miller, Member of Parliament,
House of Commons, UK*
*Simon Carroll, Advisor, Greenpeace
International, Netherlands*
*Junko Matsubara, Commissioner, Nuclear
Safety Commission, Japan*
*KunMo Chung, Former Minister for Science
and Technology, Korea*

Session 2 – The Science Issues

Chairs: *Kenneth L. Mossman and Jack Valentin*

This session will focus on the state of the science, the main scientific uncertainties and what studies are needed for future policy and regulatory decision-making.

The State of the Science - Setting the Stage.
Shigenobu Nagataki, RERF, Japan
Dale Preston; RERF, Japan

What Are the Main Scientific Uncertainties?
How Do They Effect Radiation Policy?
Charles Land, NIH, USA
Carmel Mothersill, DIT, Ireland

What studies in molecular biology, epidemiology and other science are needed for future policy and regulatory decision-making?
Richard Setlow, Brookhaven, USA
Klaus Trott, St. Bartholomew Hospital, UK

Session 3 – Bridging to Application: Factors That Influence Policy

Chairs: *Jill Fitch and Stanley Hatcher*

This session will focus on the risk, economic, social, psychological and ethical factors that influence policy.

Risk Issue.
George Gray, Harvard University, USA

Economics.
Neville Chamberlain, INEA, UK

Social Issues.
Rick Jones, DOE, USA

Psychological Issues.
Lennart Sjöberg, SSE, Sweden

Ethics.
Deborah Oughton, NAU, Norway

Breakout - I

Clarify/define the issues associated with balancing science and the other factors influencing policy.

Friday, 3 December

Session 4 – International Organizations and Policymaking

Chairs: *Marvin Goldman and Patricio Gonzales*

This session will focus on the role of the international organizations in the policymaking process and the challenge to be true to science while providing in a user-friendly way what is needed by the policymakers.

The Role of the UN Family of Organizations.
Abel Gonzalez, IAEA

Panel Discussion:

*Abel Gonzalez, IAEA
Roger Clarke, ICRP
Burton Bennett, UNSCEAR
Geoffrey Webb, IRPA
Patrick Green, Friends of the Earth*

Session 5 – Regional and National Policies

Chairs: *Tara O’Toole and Jai Ki Lee*

This session will focus on the development of regional and national radiation policies.

National and Regional Overviews:

*Australia - John Loy, ARPANSA
European Union/Denmark - Kaare Ulbak,
NIRH
Korea - Kun-Woo Cho, KINS
USA - Stephen Page, EPA*

Panel Discussion:

*National Representatives
Assistant Undersecretary Carolyn Huntoon,
USA - DOE (Environmental Management)*

Breakout - II

Develop recommendations on the formulation of policy and regulation, especially with respect to what is needed by policymakers and regulators in terms of scientific guidance. Begin the process of formulating overall conclusions and recommendations.

(Following the breakout session, attendees had the afternoon free. A tour was arranged to Monticello, the home of Thomas Jefferson.)

Saturday, 4 December

Session 6 – From Science to Policy and Regulations

Chairs: *Genevieve F. Roessler and Richard Osborne*

This session will focus on the reconciliation of science, international recommendations, and governing policy in formulation of regulations.

*Klaus Becker, DIN, Germany
David Michaels/Joseph Fitzgerald, DOE, USA
Annie Sugier, IPSN, France
Tsutomu Sugahara, HRF, Japan*

Session 7 - Problems and Options

Chairs: *Manning Muntzing and Sam Thompson*

This session will focus on the main problems in implementing present policy and if (and how) we need to change the present policies.

*Roger Clarke, ICRP, NRPB, UK
Nils Diaz, NRC, USA
Helen Garnett, ANSTO, Australia
Maurice Tubiana, University of Paris, France*

Breakout - III

Develop recommendations on if there is a need for change (especially with respect to unreasonable use of resources due to present policy) and guidance on directions. Continue to develop overall conclusions and recommendations.

Session 8 – Summary Sessions

Chairs: *Kenneth R. Kase and Ole Harbitz*

One chair of each session presents highlights of his session stressing points of consensus as well as those of no consensus followed by facilitated discussion.

Plenary

Presentation and discussion of conclusions and recommendations.

Dinner Speaker

Speaker: *Richard Meserve, Chairman, NRC, USA*

Sunday, 5 December

Session 9 – Where Do We Go From Here (Pulling It All Together!!)

Chairs: *E. Gail de Planque, Sigurdur M. Magnusson,
and Kenneth L. Mossman*

Plenary

Final review of conclusions and recommendations and conference consensus on conclusions and recommendations

Closing of Conference

Representatives of organizers, program committee, and sponsors committee.